



SBP-25 PADDING BUCKET

Screening volume	2.5 yd ³ / 1.9 m ³
Operating weight	7,716 lbs / 3,500 kg




OVERVIEW

The SBP-25 is a highly proficient padding bucket. It can be easily attached to an excavator and it is SUPERIOR Manufacturing's solution for tie-in work as well as small padding jobs. Some features include:

- High structural steel frame
- Adjustable for screened material size
- Double chain transmission
- Two hydraulic motors
- 4 screen rollers with HARDOX steel type
- Easy to replace the rollers
- Bracket support for excavator available upon request



DIMENSIONS AND SPECIFICATIONS



DIMENSIONS

A Width	6 ft	1.82 m
B Screen width	4.6 ft	1.39 m
C Length	4.7 ft	1.43 m
D Height	5.2 ft	1.58 m
E Screen height	4.6 ft	1.41 m

SPECIFICATIONS

Screening volume	2.5 yd ³ / 1.9 m ³
Available rotor sizes	1" - 1½" - 2" / 25mm - 38mm - 50mm
Weight	7,716 lbs / 3,500 kg
Excavator size	Cat 330 or equivalent

AVAILABLE MODELS



SPD-150
Screening area 2.3 m² / 25 ft²



SPD-160
Screening area 5.2 m² / 57 ft²



SPD-250
Screening area 2.78 m² / 30 ft²



SPD-350
Screening area 5.57 m² / 60 ft²



SPD-450
Screening area 8.4 m² / 90 ft²



SPB-15
Screening volume 1.15 m³ / 1.5 yd³



SPB-25
Screening volume 1.9 m³ / 2.5 yd³



2200 Post Oak Blvd., Ste. 1400 | Houston, TX 77056

Main 281.457.4400 | U.S. Toll Free 800.383.2666 | Intl. Toll Free 800.9675.3948

pipeline@wwmach.com | www.superiormftg.com

U.S.

Phone +1.281.457.4400

pipelinena@wwmach.com

CANADA

Phone +587.597.2467

pipelineca@wwmach.com

MEXICO & LATIN AMERICA

Phone +54.11.4381.5491

pipelinesa@wwmach.com

BRAZIL

Phone +54.911.4083.1274

pipelinebr@wwmach.com

EUROPE

Phone +49.0.231.963.3073

pipelinece@wwmach.com

INDIA

Phone +91.11.414.59230

pipelineind@wwmach.com

AFRICA

Phone 800.9675.3948

pipelineafr@wwmach.com

AUSTRALIA

Phone +61.0.400.144.432

pipelineau@wwmach.com

MIDDLE EAST &

ASIA PACIFIC

Phone 800.9675.3948

pipelineme@wwmach.com